Knobbe Martens Olson & Bear LLP

Intellectual Property Law

2040 Main Street Fourteenth Floor Irvine, CA 92614 Tel 949-760-0404 Fax 949-760-9502 www.kmob.com

Daniel E. Altman

March 2, 2012

ATTN: Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Re: Title: CHEMICAL LIQUID INJECTION SYSTEM

Letters Patent No. 7,967,778

Issued: June 28, 2011

Our Reference: KITO15.001APC

Dear Sir:

Enclosed for filing is a Certificate of Correction in connection with the above-identified patent.

As some of the errors cited in the Certificate of Correction were incurred through the fault of the Applicant, the required fee of \$100 will be paid via the EFS Web. Please charge any additional fees to our Deposit Account No. 11-1410.

Respectfully submitted,

Knobbe, Martens, Olson & Bear, LLP

/daniel altman/

Daniel E. Altman Registration No. 34,115 Customer No. 20995

Enclosures

12575705:lkg 011312

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,967,778 Page 1 of 1

APPLICATION NO. : 10/598536

ISSUE DATE: June 28, 2011

INVENTOR(S) : Shigeru Nemoto, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At page 1 (Item 57) Abstract, line 6, change "For, example," to --For example,--.

At column 1, line 36, change "sidably" to --slidably--.

At column 1, line 40, change "wholley" to --wholly--.

At column 2, lines 57-58, change "severalfold" to --several fold--.

At column 3, line 30, change "sidably" to --slidably--.

At column 6, line 22, change "s117" to --117--.

At column 16, line 56, in Claim 1, change "syringe," to --syringe,--.

At column 20, line 30, in Claim 28, change "liquid." to --liquid--.

12578057:lkg 011312

MAILING ADDRESS OF SENDER:

Daniel E. Altman KNOBBE, MARTENS, OLSON & BEAR, LLP 2040 Main Street, 14th Floor Irvine, California 92614

DOCKET NO. KITO15.001APC